

This document is one component of the full-length and abbreviated PPTA donor history questionnaire documents. The full-length and abbreviated PPTA donor history questionnaire documents must be used collectively.

Medication List

Please review this list carefully and tell us if you are taking or have taken any of these medications.

| Medication | Which is also known as... | And is usually used for... | In the last... | You should not donate because the medication may... |
|--|--|---|------------------|---|
| Absorica Accutane Amnesteem Claravis Myorisan Sotret Zenatane | isotretinoin | Severe acne | 1 month | Harm patients who receive medications prepared from your plasma by causing birth defects or death in unborn babies |
| Propecia | finasteride | Baldness | | |
| Proscar | | Enlarged prostate gland | | |
| Thalomid | thalidomide | Multiple myeloma | | |
| Rinvoq | upadacitinib | Rheumatoid arthritis | | |
| Depakote Depakote ER Convulex Epilim Stavzor | valproate valproic acid sodium valproate | Epilepsy Bipolar Disorder Migraine prevention | | |
| Avodart Jalyn | dutasteride | Enlarged prostate gland | 6 months | |
| Arava | leflunomide | Rheumatoid arthritis | 2 years | |
| Aubagio | teriflunomide | Relapsing multiple sclerosis | | |
| Erivedge Odomzo | vismodegib sonidegib | Basal cell skin cancer | | |
| Soriatane | acitretin | Severe psoriasis | 3 years | |
| Tegison | etretinate | Severe psoriasis | Ever | |
| HepaGam B HyperHEP B S/D Nabi- HB | hepatitis B immune globulin | Exposure to hepatitis B | 12 months | Not prevent you from contracting hepatitis B infection following a possible or known exposure |
| Any experimental or unlicensed vaccine or medication | | | | Harm patients who receive medications prepared from your plasma. Medical evaluation needed. |

If you are taking or have taken these medications you may not be eligible to donate plasma, whole blood, or platelets.